


33
3

412
7398
F 38

N^o 3

Hepatic diseases & disorders.

'3 It is a frequent concomitant



3 DE 15 A figura com o

of
fr
en
it
m
ae
br
m
li
of
the
br
to
of
2
= N
3

of a transient nature when it arises from the former and is commonly removed by depilating medicines. When it follows hepatitis it arises from the neglect of depilation. But it sometimes occurs in the West Indies from the feeble, but protracted operation of heat, and miasmata without being preceded either by yellow fever or inflammation of the liver. The blood vessels are unable in this case to emit the tones of inflammation but descend directly below ~~disorder~~^{piping} down to disorder without ^{through the stage} of disease.

2 It is sometimes brought on by Sennaphila.

3 It is a frequent consequence of the

v But this pallid countenance does
not take place in this disease from
other causes. On the contrary - the face
generally assumes not a yellow, but
a yellow or olive color.

69

Habitual use of Ardent Spirits. Drunks
after exhibiting red or yellow faces for
a number of years, often become pallid.
This is the effect of the total stoppage of the
secretion and excretion of bile. It is gene-
rally a forerunner of death. It marks the
worst grade of intermission ^{as} and white
does the highest grade of heat. ~~This~~ ^v The liver
looks and feels like dry flesh. It is in the
same torpid state that we shall say hereafter
the brain is in fatuity. ~~This disorder has~~
~~occupied a greater~~
~~or less portion of the liver, but sometimes~~
~~been called~~
~~epis the whole liver it is called~~

1 Hepatalgia. It is ^{generally} attended with some
pain, and when enlarged, with a difficulty
in lying upon the left side. It sometimes
continues ^{without any pain,} for many years but more
commonly it brings on a fatal ascites,

fr
in
wt
dr
do
an
w
ta
k

1
ug
th
an
cu
2
of
by
3

for the lymphatics being numerous
in ~~thicks~~ the liver, the streams of lymph
which usually ^{flow} ~~this~~ it are naturally
diverted into the abdomen. Where it
does not produce ascites, it brings on
atrophy, and marasmus that is, a
waste of the body without fever. It
sometimes ends in a fatal hemorrhage
known by the name of Malena.

The Remedies for this disorder are
 1 A large Canstic applied to the external
region of the liver. ~~I~~ I have once seen
the liver recuperated by this remedy &
an incipient dropsey of the belly thereby
cured.

2 The Cold Bath. The late Dr De Normandie
of Bristol ^{in this state} advised me he had seen it cured
by the use of this remedy.

3 Frictions & Stimulating Applications

6
4
mo
go
in
5
U
h
w
b
Y
L
7
Ma
=

71
to the region of the liver.


4 Calomel in small doses continued for months & years. I think I have done good by this medicine used in this way in Hepatalgia.

5 Chalybeates and bitters and aromatics. They act segmentally upon the liver and they impart a vigor to the whole system which is felt by the liver.

6 Long journeys persisted in once a year for two three or four years, have sometimes cured this disease.

7 ~~I think~~ I have once known it removed by a change of climate.

I shall dismiss this disorder of the liver by remarking that it frequently exists in a portion of the



2

h
o
l
w
I
d
u
r
c
-

² liver only, and in these cases is often combined with some one of the diseases of the liver which have been described.

II

Jaundice.

The ~~causes~~ symptoms of this disorder are ~~yellowish~~
~~and bluish~~ over the external surface of the body, but most obviously in the eyes - languor, depression of spirits, costive stools - now and then diarrhea - white rags - itching of the skin - a slow fever but more commonly a natural pulse, with a natural temperature of the skin. Carbuncles is said to occur most frequently in young people. It is said to be less common in old people, & very rare in drunkards.

W
W
W
f
t
i
=n

b
b

Its causes are transient & chronic.

The former are 1 a spasmod upon the common duct, 2 bilious & intermitting fevers. - ^{It is said} sometimes ^{to prevail} ~~because we~~ it ⁿ sometimes occurs as an epidemic. When it does, it is as a symptom only of those acute diseases. 3 Fear 4 anger 5 prepare from contiguous parts particularly from the ^{pumas,} ~~the~~ from the Colon when distended with fæces, and the Uterus in pregnancy.

The chronic causes are 1 viscid bile, and gall stones obstructing the cystic or common duct. 2 a tumor or sebaceous in either of those ducts, or in the pancreas.

3 Dr. Gouraud mentions a case of jaundice from the common duct becoming impeded from disease.

33

4

C

b

8


A

=

H

C

4 matters in the duodenum particularly
congealed milk obstructing the passage of
bile into it. Take notice Dr. Weston, the
obstruction in the two last ~~cases~~ that
have been mentioned is only in the com-
mmon duct. Dr. Monroe informs us
that he once saw the Cystic duct so
completely closed by two gall stones
that no air could pass thro' it, &
yet the patient died without Jaundice.
Dr. Rea therefore saw a similar ^{Absence} case of
Jaundice where ^{where} an obstruction of the
cystic duct was obstructed by a gall
stone as large as a nutmeg. When
a Jaundice occurs with a complete
obstruction of this duct, it is sup-
-posed the obstructing matter com-
-municates impressions from the



insensible cystic duct, to the exquisitely
 and irritable
 sensible termination of the common
 duct in the duodenum which is thereby
 constricted, and thus hepatic bile is
 retained, and afterwards absorbed, or
 conveyed by regurgitation into the blood.
 There is in this ~~case~~ care an error
 sensus and emotus.

5 Distoll has given us an account of
 three cases of fatal jaundice in which
 no obstruction of any kind was disco-
 vered either in the cystic, or common
 duct. The obstruction was probably
 from a tonic spasm upon the
 common duct which relaxed after
 death.

~~When obstructions are seated in the
 cystic duct only, the prognosis is favorable~~

4

A

L

The body goes on as usual.
 There have been many disputes whether bile can exist in the blood. Dr Roebuck a graduate in this University has clearly proved that it does in this disorder, by a number of satisfactory experiments. There have likewise been disputes among Pathologists whether the bile becomes absorbed into the blood in a jaundice by absorption or resegitation. It is most probable it enters the blood in both ways. The black jaundice seems to be produced by the absorption of bile contained black bile from the gall bladder. Dr Smith supposes the blackness of the Africans to be derived originally from this cause.

I

a

D

S

O

L

E

7

77

I have seen the color of the face of
a greenish cast in several instances
of jaundice. I have ^{no} doubt of its being
derived from the absorption of green
bile. ~~from the gall bladder.~~

Persons of all ages are subject to
the Jaundice. It occurs in new born
infants. It attacks the two sexes nearly
alike. Of 100 patients whom Dr. Mc-
Cord attended in a given time in
this disorder 52 were men & 48 wo-
men.

Objects are seldom coloured in the
eye by this disorder, owing to the bile
tinging the tunica ~~abdominal~~ conjunctiva
only, and not the ^{brain,} ~~tunica~~ or the eye,
nor is the color of the tongue, nor
the ~~taste~~ of the saliva - nor the quality
of the milk generally affected by the
bile

85


2.

78

which circulates with the blood.
milk and oysters have their natural
taste, but there are certain stimulants
and Drunks which impart a sensa-
tion of bitter to the tongue.

There is something exceedingly
peculiar in the action of the bile
upon different parts of the body.
while several of the fluids, and
some of the solid parts of the body
receive ~~no~~ color from it, lar-
= bages and burns are sometimes
tinged by ^{it} of this Dr Stodd mentions
an instance which came under his
own observation.

The Remedies for Jaundice should
be regulated by its Symptoms & causes.
If the pulse be full or tense, it
will be proper to begin the cure by



79

1 Bloodletting. The disorder in this state of the pulse is always accompanied with more or less disease in the liver. I have occasionally bled in this state combination of disorder with disease with success once in 1803, and again in 1809 in the Pennsylvania hospital, but I have as often ~~been~~ as employed this remedy without effect. Authors generally consider ^{fever with} Jaundice with fever as a most alarming symptom. It is to probably chiefly from the neglect of early and sufficient bleeding.

If the Jaundice arise from a humor upon the common duct, the remedies should be
2 opiates, laxatives, the warm bath,
and afterwards tonics.

36

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

36


80

If it arise from the pressure of
the Colon distended with faeces, they
should be removed by

3 purges. If it arise from the
pressure of the pregnant Uterus up-
wards, it should be removed ^{by} de-
-livering the Uterus by means of a
bandage. If it arise from viscic
tive it should be removed,

5 by emetics - purges - mineral
waters - Soap, ~~excise~~^{Dandylon} and mercury.
~~I have said it arises~~
~~from flat stones.~~ The
remedies for them shall be mentioned
under our next head.

The following empirical prescription
has been found useful in the cure
of Jaundice, & its efficacy is probably
confined chiefly to those cases in



which Obstructions from viscid
bile have existed in the cystic and
common ducts. Potash and Gum
Arabic of each ℥js Castile Soap ℥j
Brandy ℥vj. From a half to a whole
wine glass full of this medicine is
usually taken three times a day.

The Remedies for the removal of
Gallstones, which I have said is one
of the causes of Jaundie shall be
mentioned under ^{another} ~~another~~ head.

III. There is a disorder in the liver
nearly allied to Jaundie, but not
accompanied with yellowness of the
Skin. It consists in a preternatural
accumulation of bile in the Gallbladder
^{and Stagnation} and a stagnation
and a ~~stoppage~~ from a torpor in its
fibres. I have called the stools are
generally white, except after taking a
purple

27




where they are of a dark color. I
have called it Gastricope of the liver.
Its remedies are active purges, mer-
cury and exercise.

IV. Gall Stones come next in order under
our notice. They are formed from the bile,
and differ from each other in the following
particulars.

1 In size, being ~~sometimes~~ ^{about as large as} a small
pea, up to a small egg:
2 In figure being rough, angular, or highly
polished from their friction upon each other.
Dr Physick has in possession two or three
stones of the latter kind taken from the gall
bladder of Mr. Fuller the gentleman ~~case~~
case was mentioned in speaking of the
Infection of water by the liver.

3 In number being from one to 114. The
immense number of Gall Stones Dr




St
- 2
a
L
an
V

Shattock tells us were found in the gall-bladder of a person dissected by Dr Prescott of Boston in Massachusetts.


4 In weight - from five grains to $\frac{7}{3} \frac{7}{9} \frac{2}{3}$ and three grains. A gall stone of the latter weight is mentioned by Dr Lettsom in the first volume of the memoirs of the medical Society of London.

5 In consistence. They are of the consistence of tallow, and sometimes nearly as solid as stone.




P: 8th cont'd. 84

6 They differ in ~~the~~^{the nature of the matter} which compose them. Horrocks has mentioned 6 species of them ~~and~~ ^{depening on the shape of stone} for an account of which I refer you to the chemical books and to the professor of Chemistry. — one of the species of them is inflammable, } This I discovered by an experiment made upon a gall stone taken out of the liver of a woman who died in our hospital when I was a student of medicine. —



20 75

These gall stones sometimes lie for years in
the gall bladder without giving any pain.
a stone about weighed 7zj was found in the
gall bladder ^{one of} of the Earl of Bath, & yet he
never was discomfited from it. Six gallstones
were found in the gall bladder of the
unfortunate Mrs Robinson. Yet she died of
none had any of the symptoms which they
induce in the liver or stomach. She died of
a hydrocephalus. A gallstone of 7zj &
9²zj was found in the liver of Lord Walpole,
and yet ^{the} physician who attended him
for 60 years said he had never once com-
plained of pain or disease from that cause.
Similar cases ~~are probably rare.~~ ^{to those which have been} gall
stones are probably rare. They are
often attended with great pain sometimes
so exquisite as to cause ~~fright~~ ^{loud}
cries & shrieks that are heard thro'



21 86

in whole neighbourhood. we need not
marvel at the Antagonist
Kins pain when we reflect upon this
pain is occasioned by the passage of a
stone from the gall bladder to the
bowels, or by its stoppage in its progress
to them. we need not wonder at the
intensity of the pain when we reflect upon
the size of the duct thro' which the stone
passes with the fire of many gall stones ch.
pays thro' it. The seat of the pain is
the pit of the stomach, from whence it
spreads thro' the region of the liver, and
upper bowels. It lasts for with some
intervals & with some diminution in
degree from three days to a month.
Chills attend this pain, but neither fever
nor fits increased frequency, or fulness

Vⁱ such as are proper in ^{the} forming
state of the disease induced by them.


+ ~~To~~ ^T ~~that~~ ^{is} the symptoms of an
approaching attack of this disease are slight
pain - Costiveness - flatulency - and yellow
- turbid water. In this state of ^{the} disease
small & repeated doses of Loddonium - Ab-
-stinance - ^{a gentle purge} ~~not~~ the Pedicularium, & rest pro-
-mote the formation of perspiration.

87

or tension of the pulse. A yellowness of
the skin generally attends each parox-
ysm of the disease. In some persons
a yellowness of the face & is a constant
symptom of the presence of gallstones
in the gall bladder. — It from the
supposed absence of muscular fibres in
the cystic duct, and the small degree of
flexibility possessed both by ~~the~~ it, and the
ductus commonis, the pain is said ^{to}
depend upon the stone impinging ^{upon} and ~~over~~
distending the duodenum at the place where
it is connected with the common duct.

The Remedies for gallstones
divide them into three classes ² such as
are proper to relieve a paroxysm of
the disease ^{induced by them} & ³ those proper to
remove ^{them} ~~its cause~~. +

¶ The Remedies for a paroxysm of the



23 88

disease should be, & when I know the
pulse does not indicate it, but ^{when the} pain is
exquisite, it lessens it, and prepares
the way for large doses of Laudanum
by the mouth and by way of injection.

3 The Warm Bath, 4 enemas to the
extremities, and 5 A Blistar to the sides,
or pit of the stomach. After the pain
is subdued, 6 opening medicines consisting
of purges & syrups.

III. The Remedies proper to remove
distemper gallstones have been divided into
chemical & mechanical. The former
are said to alkaline salts - lime water,
Soap - a mixture of Oyster and Spirit
of turpentine - the yolk of an egg &
Oyster mixed together - lime juice - &
the Juice of the Dandelion - that is

The late Dr Zimmerman thought highly of this simple medicine. It was one of his prescriptions for Frederick the King of Prussia for a dropsey but on by an obstructed liver. He prescribed the extract of this ~~medicine~~ plant as well as its juice, and that to the amount he lets 16s of an hundred pounds a year.

It is probable all the medicines that have been mentioned act differently according to the nature, or component parts of the gall stones. —

89

the Taraxicum or Liverwort. There
are respectable vouchers for the efficacy
of all the medicines I have mentioned.
In favor of the Dandelion, I can speak
from my own experience. I was led to
use it with the more confidence from having
read in Chardin's Anatomy that deer
when killed in the winter discover biliary
concretions in the liver, but never after
they have fed for two or three months
upon the Spring Grapes. ^{I have heard this} fact confirmed by a butcher in this city. ~~in~~ ^{all} ~~the~~ ^{for}
what manner these medicines act I
know not - It is certain ^{some} of them partially
the gall stones out of the body, but
it is difficult to conceive how they can
be conveyed in a state so concentrated, or
^{in such a quantity} ~~so diluted~~ as to act upon the gall-
stones in the gall bladder. [✓] ~~Wimman's~~ ^{Wimman's} practice & works

V Dr Davison & Dr Jacob shall have published
each a Cure performed by this remedy.

25 90


The remedies which act mechanically
in removing gallstones are

1. Haemorrhage frequently repeated
2. Active purges. 3 copious ^{dangerous} ~~dangerous~~ ^{water.} drink of warm
4. Electricity. 5 Exercise especially on horseback. 6 a temperate diet consisting chiefly of vegetables. 7 the alternative use of Calomel.

With this remedy given in such doses as not to affect the mouth, I am sure I have done service.

If a cathartick should be resorted to, when the Calomel does not succeed in alternative doses. Dr Gibbons tells us in the Annals of Medicine, that he has removed gallstones from 12 persons out of 13 by this remedy. —

Catharticks should be carefully prevented by lenient purges. 




71

V. The ^{next} disorder of the liver that
I shall mention is Syphilitis.

It may be known by occurring in
syphilitic habits. The remedies for it
are the same as for that disorder in other
parts of the body, all of which ^{will} be
enumerated in their proper place. I have
once seen the whole liver affected with it,
~~that~~ It ^{was} glandular but it was in a boy
whose whole system was more or less affec-
-ted with the same disorder.

VI. Hæmorrhages is sometimes the effect
of previous inflammation, but it is often
the product of impressions too feeble to
manifest themselves in disease or pain. If
while Hepatalgia may be ~~considered~~ to be
fleas of the liver, this may be considered
as its death. It is rarely re-incipited.


Yours



42

will not be surprised at this when
you recollect how little medicine has
ever been able to accomplish in
Schwitz even where we are able to ap-
ply our remedies in contact with them.
— The knife is generally the only cure
for them.

VII. worms are found in
the liver in which they produce
cause & effect of disease, and disorder.
Dr Port says he has often found worms
in the livers of persons who have died
of the hepatic state of fever. There is a
remarkable case of disorder & death
induced by a large worm in the liver
of a Mrs Holt of this city related by
Dr Thomas Bond in one of the volumes



93

of the London Medical Inquiries and Observations. In the month of Aug¹¹ 1811 I lost a patient iso with symptoms of Jaundice & Hepatitis. The morning after her death, a large number of small worms were seen creeping out of her mouth. They probably came from her liver where they probably were the cause, or effect of her disease. It is ~~the~~ ~~more~~ ~~difficult~~ difficult to detect the presence of small worms in the liver. The presence of the large single worms found in the liver of Mr. Holt was known by what he used to call a "quivering sensation". It is possible large doses of Calomel might dislodge them, but I can say nothing in its favor from my own experience. —

3

D

= C

O

C

2

3

2

1

Spirits exhibit the following appearance after death from the diseases & disorders of the liver.

After acute & chronic inflammation, the usual marks of inflamⁿ - adhesion of the liver to the diaphragm and of the diaphragm to the lungs - a large abscess filled with pus & sometimes with bile & blood - and a communication between this abscess and the parts into which it usually discharges itself which have been mentioned - great congestion of blood in the liver - great enlargement of the liver from blood or water - with & without hydrocephalus, a rigid state of the liver induced by hypotonia, Schistis partial & general, in the latter case the liver enlarged in one instance as to weigh 27 pounds - diminished size of the liver & bone marrow & diminished of this in our hospital. There was a

✓ called by Mr. Hunter intestinal Absorption. — The liver in this case resembles an ~~broad~~ ^{irregular} honey comb.

95

mark of a former Abscess upon it - an
Absorption of the Substance of the liver &
Tubercles - and Sanguinous tumors upon
the liver - the coats of the gall bladder
Schistous and hoary - a dilatation of the
hepatic, cystic and common ducts to an
inch in diameter - gall stones of all the
shapes, and in all the numbers that have
been mentioned - gangrene. ^{of which} I have not
seen one else in books of medicine. Dr
Baillie says he never saw an instance
of it. Perhaps a concretion of blood was
mistaken for it.

I have thus gentlemen from a
large mass of empirical rubbish and from
my own observations delivered to you an
epitome of all the diseases & disorders of the
liver; but you must not expect to find
them in the separate and distinct states in

4
wh
-in
(if.
the
Tu
pa
c
S
i
-

which I have described them. In no wise
less do diseases and disorders anestinose
(if I may be allowed the expression) more
than in the liver. They are blended; they
succed each other, they alternate with
each other - and they mutually produce
forget the hepatic nosology - attend to
symptoms particularly to the pulse. -
attend to the absence of all its essential
~~and~~ symptoms - that is to its dumb
form - and presume for the state of the
System should it vary a dozen times a
day. -

I shall dismiss the subject of the dis-
eases and disorders of the liver, by repeating
a remark of the illustrious Dr Boerhaave,
and that is that the liver is ~~filled~~ ^{out of}

I suspect it to be disease induced
and more violent than is known
and breast complaints from whence
he secretly smiled at our abortive attempts
to cure the diseases induced by it in the
~~pernicious~~^{other} parts of the body
particularly in the head, the Stomach,
the bowels, the kidneys, the muscles &
the Skin by directing our remedies
wholly to those parts of the body.

97.

health or at ~~at~~ ⁱⁿ Debt in 99 out of an 100 of
all chronic diseases. Of how much im-
portance ^{then} must be it to study its
functions and derangements ^{they appear} to be
or disorder. This is the more necessary as
its diseases and disorders are not only
diffused throughout the whole system, but often
because they are often devoid of obvious char-
acteristic symptoms. This is so much the case that
be considered as ^{eminently} the masked battery of death,
the books ^{written} that are worth reading
upon its diseases and disorders of the liver and
and take leave both of which are to be found
hospital library. —

